

Index

- About dialog 76, 77
- Access 248
 - Database object 250
 - read database 277
 - Recordset
 - Types 250
 - Update method 253
 - Workspace object 249
- Access-Object model 248
- AccountDisabled property 338
- Activate
 - method 213
- Active Directory service 303
- Active Directory Service Interface 303
- Active Directory service path 306
- ActiveX
 - create project in VB 5 CCE 101
 - project sample 116
- ActiveX control
 - as form 75
 - compile project 110
 - create an install file 113
- ActiveX control WSHExtend 119
- ActiveX Data Objects 265, 267
- ActiveX programming
 - other tools 100
- adCmdFile 276
- adCmdStoredProc 276
- adCmdTable 276
- adCmdTableDirect 276
- adCmdText 276
- adCmdUnknown 276
- AddNew method
 - Ado 289
- adLockBatchOptimistic 275
- adLockOptimistic 275
- adLockPessimistic 275
- adLockReadOnly 275
- Ado
 - AddNew method 289
 - Delete method 289
 - MoveNext method 289
 - Update method 289
- ADO 265, 267
 - addnew method 289
 - browsing records 295
 - connect object 270
 - Connection object 270
 - Connection Object: 268
 - create DSN 272
 - cursor 274
 - type 274
 - delete method 289
 - EOF method 296
 - Filtering 283
 - importing constants 281
 - lock types 275
 - object model 268
 - ODBC driver 272
 - read Access data 277
 - Recordset
 - BOF 278
 - EOF 278
 - MoveFirst 278
 - MoveLast 278
 - MoveNext 278
 - MovePrevious 278
 - Recordset object 274
 - SQL commands 283
 - SQL server 271
 - Text file
 - read 299
 - update method 289
 - versions 267
- ADO cursor types 274
- ADODB-Library 267
- ADOMD-Library 267
- adOpenDynamic 275
- adOpenForwardOnly 275
- adOpenKeyset 275
- adOpenStatic 275
- ADOR-Library 267
- ADOX-Library 268
- ADSI 303
 - Binding 305
 - to domain 307
 - to remote computer 308
 - catch run-time errors 335

- Computer properties 326
- constants 346
- Definition 305
- enumerate
 - schema computer 322
- Enumerate by classes 315
- Enumerate children of a container 312
- file shares 353
- Get method 326
- get version 310
- GetEx method 326
- group
 - add 345
 - display group members 344
 - remove 346
 - remove member 344
- list domains 331
- list groups 329
- list provider 309
- OpenDSObject method 308
- properties
 - writing 336
- Providers 306
- retrieve
 - Operating System version 326
 - Organization 326
 - Owner 326
 - Prozessor 326
- service
 - enumerate 348
 - status 348
- Service
 - pause 351
 - start 351
 - stop 351
- SetInfo method 335
- share
 - create 353
 - delete 353
- unimplemented features 334
- user
 - list member groups 347
- user account
 - add to a group 343
 - change password 337
 - change user description 338
 - create 335
 - delete 343
 - diable 338
 - force password input 338
 - list 332
 - password expiration 339
 - properties 339
 - set flags 342
 - unlock 339
- ADsPath property 354
- AppActivate method 134, 410
- Application Setup Wizard 113
- Appwiz.cpl 160
- Authentication Level 373
- AvailableVirtualMemory property 386
- BIOS data
 - read 396
- CallBack function 72
- CIM 360
- CIM hierarchy
 - view 370
- class 102
 - help 402
- class WinExt 117
- clipboard
 - cut and past 154
- Command Object 269
- Common Information Model 360
- Computer
 - properties 326
- Control Panel
 - call entries 159
- Control.exe 159
- CPL-Modules
 - Call options 162
- create
 - user account
 - with ADSI 335
- create a new script file 16
- CSV file
 - import 217
 - read 296
- current user 380
- CurrentUser 383
- cursor 274
- Data Source Name 272
- DBEngine object model 248
- delay
 - using a loop 124
 - with time measurement 124
- Delete method 346
 - Ado 289
- Desk.cpl 160
- Desktop Management Task-Force 359
- DHTML 61
 - Objects 62
- Dialog
 - using Internet Explorer 51, 56

- dictionary object 315
- Disk
 - change volume name 403
- disk data 400
- DisplayName property 373
- DMTF 359
- Domain 380
- DSN 272
- Editors
 - for script files 20
- EditPlus 20
- EOF method
 - Ado 296
- Event procedure 72
- Excel 189, 255
 - accessing cells 198
 - accessing worksheet 196
 - Activate method 213
 - Application object 189
 - close table 199
 - close workbook 206
 - color cell background 199
 - Columns property 197
 - create table 197
 - create Workbooks object 197
 - CSV file
 - import 217
 - CSV import 220
 - InputBox function 197
 - launch 190
 - load XLS file 212
 - object model 189
 - Range object 189, 198
 - read data 212
 - save workbook 206
 - SendKeys function 198
 - set window properties 191
 - shell cell in bold 205
 - Workbook object 189
 - Workbooks collection 189
 - Worksheet object 189
 - write WSH information into a worksheet 204
- Excel function
 - InputBox 196
- Excel Wait function 141
- Excel-function
 - SendKeys 196
- ExecNotificationQuery method 428
- File
 - About.j 84
 - About.vbs 84, 187
 - Access.vbs 255
 - Activate.js 153
 - AddGroup.vbs 346
 - AddUserToGroup.vbs 343
 - ADOMachines.vbs 299
 - ADORead.vbs 299, 301
 - ADOReadTxt.js 301
 - ADOReadTxt.wsf 301
 - ADOSample.wsf 288
 - ADOSample1.wsf 295
 - ADSIPProvider.vbs 310
 - ADSIVersion.vbs 311
 - ADsVersion.dll 310
 - AlterShares.vbs 356
 - Beep.vbs 134
 - ChangeDescript.vbs 338
 - classenum.js 379
 - ComputerProperties.vbs 328
 - ConnectionDNS.js 281
 - ConnectionDSN.vbs 281
 - ConnectionDSN.wsf 283
 - ConnectionOLEDB.vbs 280
 - ConnectionOLEDB.wsf 283
 - CountItems.vbs 335
 - DeleteGroup.vbs 347
 - DeleteUser.vbs 343
 - Dialog.vbs 55
 - Dialog1.vbs 59
 - DisableUser.vbs 338
 - EnumerateClasses.vbs 379
 - EnumerateServices.vbs 351
 - EnumerateShares.vbs 356
 - Excel.js 196
 - Excel.vbs 194
 - Excel1.js 204
 - Excel1.vbs 202
 - Excel2.js 212
 - Excel2.vbs 209
 - Excel3.js 217
 - Excel3.vbs 215
 - ExcelCSV.vbs 220
 - ExcelCSV1.vbs 226
 - Exit.vbs 187
 - FindWindow.vbs 179
 - FindWindow1.vbs 183
 - Form1.htm 65
 - Form1.vbs 70, 71
 - Form2.htm 73
 - Form3.js 93
 - Form3.vbs 92
 - GetUserProperties.vbs 341
 - iads.h 346

- IECallback.vbs 75
- Input.vb 35
- Input0.js 39
- Input1.js 47
- Input2.js 50
- IsGroupMember.vbs 348
- JScript.js 16
- Kill.vbs 415
- ListADSIItems.vbs 315
- ListADSIItems1.vbs 322
- ListDomains.vbs 332
- ListenToEvents.vbs 430
- ListEvents.vbs 428
- ListGroupMembers.vbs 345
- ListGroups.vbs 331
- ListUsers.vbs 334
- Logoff.vbs 424
- NewUser.vbs 337
- Outlook.js 261
- Outlook.vbs 259
- Outlook1.js 262
- Outlook1.vbs 262
- Outlook2.js 264
- Outlook2.vbs 264
- Outlook3.js 265
- Outlook3.vbs 265
- Passw.js 97
- Passw.vbs 97
- Reboot.vbs 424
- Schema.vbs 326
- SendKey.vbs 143
- SendKeys.js 150, 157
- Shutdown.vbs 424
- StartStopServices.vbs 353
- ToggleUserFlags.vbs 343
- UpdateUser.vbs 339
- User.js 165
- UserUnlock.vbs 339
- VB5CCEIN.EXE 100
- VBInput.vbs 39
- VBScript.vbs 16
- WaitTest.vbs 129
- WMICheck.vbs 376
- WMIFreeMemWrong.vbs 391
- WMIGetBIOSData.vbs 398
- WMIGetDiskInfo.vbs 402
- WMIGetFreeMemory.vbs 394
- WMIGetIPAddress.vbs 400
- WMIGetLowDiskInfo.vbs 406
- WMIGetMemory.vbs 390
- WMIGetOSData.vbs 396
- WMILaunchAndKill.vbs 413
- WMIMemoryInfo.vbs 388
- WMIProcessList.vbs 409
- WMIServicesList.vbs 418
- WMISetDiskVolume.vbs 404
- WMIStoppedServices.vbs 419
- WMISystemInfo.vbs 385
- WMIWMISStartStopService.vbs 421
- Word.js 234
- Word.vbs 232
- Word1.js 242
- Word1.vbs 239
- Word2.vbs 244
- Word3.vbs 247
- WSHExtend.ocx 117
- WSHForm.ocx 116
- Files
 - BindTest.vbs 308
 - BindTest1.vbs 308
- form
 - property 79
- Form
 - as ActiveX control 75, 76
 - control per DHTML code 61
 - creating 84
 - for input dialog 84
- Function
 - GetValue() 63
 - global variables for input values 89
 - insert an image 79
 - inserting controls 109
 - methods for handling 89
 - save input values 89
 - ToolTipText 93
 - WSH script 65
- Form input
 - using Internet Explorer 59
- Forms
 - in Internet Explorer 51
- free space
 - WMI 404
- function
 - CheckVal 63
 - ExistKey 122
 - GetValue 63
 - makeInputBox() 42
- Function
 - InputBox 33
- Get method 326
- GetEx method 326
- group
 - type 330
- handling windows 165

- hardware settings 180
- HTML
 - <BODY>-Tag 60
 - <FORM>-Tag 60
 - <INPUT>-Tag 61
 - <SCRIPT>-Tag 40, 61
 - <TITLE>-Tag 60
 - BGCOLOR-Attribute 60
 - code for forms 59
 - NAME-Attribute within forms 60
 - SIZE-Attribute in forms 61
 - TYPE-attribute in forms 61
- HTML document
 - InputBox function 40
- Hwinfo.exe 180
- Impersonation Level 373
- Inetctl.cpl 161
- input dialog
 - with a form 84
- InputBox
 - for JScript 42
- InputBox function 197
 - parameters 33
- inspect the hardware settings 180
- InstancesOf method 394
- Internet Explorer 51, 56
 - closing a dialog 53
 - event
 - DownloadBegin 73
 - DownloadComplete 73
 - OnQuit 73
 - OnUnload 73
 - events 73
 - Form input 59
 - Forms 51
 - OnQuit event 72
 - property
 - Busy 67
- Internet Explorers object model 42
- Intl.cpl 160
- IP Address
 - read 398
- JRO-Library 268
- JScript
 - accessing VBScript constants 281
 - get path 70
 - HTML-Form 70
 - implement the InputBox method 42
 - method
 - lastIndexOf 70
 - substr 70
 - user input 36
 - using a form 92
 - using input 39
- Kill
 - a process 413
- kill process 409
- launch process 409
- List
 - ADSI items 312
 - ADSI version 310
 - Computer properties (ADSI) 326
 - container in ADSI 312
 - domains 331
 - groups 329
 - user account 332
- Listen to Event Log Events 428
- Logfile
 - read 424
- Logoff 183
- machine type 380
- Main.cpl 161
- Manufacturer 383
- memory
 - read using WMI 385
- MessageBeep function 129
- Method
 - Activate 213
 - AppActivate 134
 - SetInfo 335
 - WSHBeep 129, 131
 - WSHExitWindows 183
 - WSHFindWindow 166
 - WSHFlashWindow 175
 - WSHIsIconic 168
 - WSHIsWindow 167
 - WSHKeyExist 119
 - WSHMoveWindow 174
 - WSHSendKeys 143
 - WSHSetForegroundWindow 173
 - WSHShell 134
 - WSHShowWindow 170
 - WSHWait 123
- Method WSHExitWindows 184
- Methods to manipulate a window 177, 179
- Microsoft Access 248
- Microsoft Excel 189, 255
- Microsoft Management Console (MMC) 335
- Microsoft Script Editor 21
- Microsoft Word 226
- Mmsys.cpl 161
- modal dialogs 76
- module APIDeclarations 122

-
- MoveNext method
 - Ado 289
 - namespace 370
 - NextEvent method 428
 - NumberOfProcessors property 383
 - object
 - WinExt 117
 - Object
 - Help 114
 - where to get more information 27
 - Object browser 27
 - Object Browser
 - Add references 29
 - create object description 115
 - object description 115
 - object paths 370
 - OCX file
 - creating 110
 - ODBC 272
 - OLE/COM Object Viewer 26
 - OpenDSObject method 308
 - operating system build 394
 - Operating System version 326
 - Outlook
 - Application object 256
 - create a note 263
 - create a task 264
 - create contact 261
 - E-Mail
 - create 257
 - Folder collection 256
 - MAPIFolder object 256
 - NameSpace object 256
 - object model 256
 - Owner 326
 - PasswordChar
 - property 94
 - PasswordExpired property 339
 - Path_ property 373
 - Pause method 351
 - PC speaker
 - for sound 129
 - PrimalSCRIPT editor 21
 - PrimaryOwnerName 383
 - print
 - from Word 234
 - process
 - kill 409
 - launch 409
 - processes
 - list 406
 - Processor type 236
 - ProgID 26
 - Program
 - Oleview.exe 27
 - program Control.exe 159
 - Programm
 - Control.exe 160
 - project
 - in VB 5 CCE 102
 - Project
 - WSHForm 84
 - properties_ property 373
 - property
 - Caption 80
 - form 79
 - PasswordChar 94
 - Picture 79
 - ToolTipText 94
 - RDS-Library 268
 - reboot 421
 - Recordset Object 269
 - Restart 183
 - Run method 134
 - Script
 - terminate an application 147
 - Script editing
 - define your own edit command 18
 - Script editor
 - EditPlus 20
 - PrimalSCRIPT 21
 - script file
 - create 16
 - load 16
 - Script file
 - editing 18
 - Script files
 - Editors 20
 - Security 381
 - Security_ property 373
 - SendKeys problem 140
 - sercices
 - list 415
 - Service
 - enumerate 348
 - pause 351
 - start 351, 419
 - status 348
 - stop 351, 419
 - service pack version 394
 - SetInfo method 335
 - Share
 - create (ADSI) 353
 - delete (ADSI) 353

- Shares
 - enumerate (ADSI) 353
- Shell function 136
- Show method 81
- ShowMSIE procedure 291
- shutdown 421
- Sound event
 - defining 130
- Start method 351
- StartService method 420
- Status method 351
- Stop method 351
- StopService method 420
- String object 70
- SubclassesOf method 376
- SWbemEventSource object 428
- SWbemEventSource Object 364
- SWbemLastError Object 367
- SWbemLocator Object 362
- SWbemMethod Collection 368
- SWbemMethod Object 368
- SWbemNamedValue Object 365
- SWbemNamedValueSet Collection 365
- SWbemObject 365
- SWbemObject Path Object 364
- SWbemObject properties 373
- SWbemObjectSet Collection 366
- SWbemProperty Object 367
- SWbemPropertySet Collection 368
- SWbemQualifier Object 367
- SWbemQualifierSet Collection 367
- SWbemSecurity Object 369
- SWbemServices Object 363
- SWbemSink Object 363
- Sysdm.cpl 161
- System properties 236
- SystemStartupDelay property 383
- terminate an application 147
- time zone 383
- Timedate.cpl 161
- Timeout property 429
- ToolTipText
 - property 94
- TotalPageFileSpace property 386
- TotalPhysicalMemory property 386
- TotalVirtualMemory property 386
- Tweak UI
 - installing 17
 - registering templates 17
- Type Library
 - define the name 103
- Update method
 - Ado 289
 - user
 - create account in Windows 98 157
 - user account
 - list 332
 - user input 84
 - Variable
 - declare global in VB 5 CCE 104
 - VB 5 CCE 28, 99
 - ActiveX project sample 116
 - classes 102
 - code window 105
 - create an ActiveX project 101
 - design time properties 102
 - install 99
 - Introduction 99
 - modules 102
 - Object Browser 114
 - projects 102
 - properties window 107
 - remove class 105
 - rename project 103
 - short introduction 102
 - Version Compatibility 112
 - what is that? 99
 - VBA function
 - AppActivate 138
 - VBScript
 - InStrRev-Function 66
 - user input 33
 - working with Access databases 250
 - VBScript
 - Left function 66
 - VersionCurrentlyRunning property 373
 - Visual Basic 5 Control Creation Edition 28
 - Visual Basic Control Creation Edition 99
 - Wait function 141
 - Wait method 123
 - WBEM 359
 - Web-Based Enterprise Management 359
 - Win
 - API-Function
 - WindowsExitEx 184
 - Win API function
 - FindWindow 166
 - FlashWindow 175
 - MessageBeep 129
 - MoveWindow 174
 - RegCloseKey 122
 - RegOpenKeyEx 122
 - SetForegroundWindow 173
 - ShowWindow 170

-
- Sleep 127
 - Win32_LogicalDisk 400
 - Win32_Process 409
 - Windows
 - handling with scripts 165
 - Restart 183
 - Shutdown 183
 - Windows Management Instrumentation
 - architecture 360
 - Windows Script Host XXIII
 - WMI 360
 - BIOS data
 - read 396
 - check presence 372
 - class
 - help 402
 - Class
 - __cimomidentification 372
 - CIM_LogicalElement 376
 - Win32_ComputerSystem 380
 - Win32_LogicalMemoryConfiguration 386
 - Class Instance 369
 - current user 380
 - disk data 400
 - Domain 380
 - EnumerateClasses 376
 - ExecQuery 388
 - execute process 409
 - Flavors 369
 - free memory size 390
 - get
 - CurrentUser 383
 - Domain 383
 - machine model 383
 - Manufacturer 383
 - number of processors 383
 - PrimaryOwnerName 383
 - system type 383
 - get current user 380
 - IP Address
 - read 398
 - Kill
 - a process 413
 - kill process 409
 - list
 - running processes 406
 - running services 415
 - Listen to Event Log Events 428
 - Logfile
 - read 424
 - machine Name 383
 - machine type 380
 - memory information 385
 - memory size 388
 - method
 - get help 402
 - object instance 394
 - object InstanceOf 394
 - Path_ property 377
 - properties 372
 - enumerate 373
 - get help 402
 - Qualifiers 369
 - query
 - free memory size 390
 - memory size 388
 - reboot 421
 - retrieve machine information 380
 - Scripting Interface 361
 - Security 381
 - Security settings 381
 - authentication 381
 - impersonation 381
 - Service
 - start 419
 - stop 419
 - shutdown 421
 - SWbemObject
 - Path_ property 373
 - Class 373
 - Properties_ property 373
 - Security_ property 373
 - SWbemObject properties 373
 - Terms 369
 - WbemPrivilegeEnum 422
 - WMI CIM Studio 371
 - WMI class 369
 - WMI Object Browser 371
 - Word 226
 - ActiveDocument method 236
 - Application object 226
 - create document 234
 - define template 234
 - Dialog object 245
 - Dialogs collection 245
 - Display method 246
 - Documents collection 236
 - Documents collection 226
 - Documents object 226
 - InsertAfter method 235
 - launch 227
 - load document 242

- object model 226
- Open method 242
- Paragraphs object 236
- print a document 234
- PrintOut method 236
- Range object 226, 235
- read data from a document 242
- Select object 226
- Sentences collection 243
- set window size 228
- Show method 246
- Templates object 226
- use the Open dialog 245
- Words collection 243
- write into document 234
- Workspace object 250
- WScript
 - event handling 72
- WSH XXIII
 - create a script 15
 - Events 72
 - JScript WSHInputBox method 48
 - Logoff 183
 - Shutdown Windows 183
 - user input 33
 - user input 48
 - VBScript InputBox function 33
 - Windows Restart 183
- WSH script
 - accessing an IE4 function 41
 - call a form 82
 - show form 91
 - WSHBeep method 129, 131
 - WSHExitWindows method 183, 184
 - WSHFindWindow method 166
 - WSHFlashWindow method 175
 - WSHIsIconic method 168
 - WSHIsWindow
 - method 167
 - WSHIsWindow method 167
 - WSHKeyExist1-Function 121
 - WSHKeyExit method 119
 - WSHMoveWindow method 174
 - WSH-Script
 - Form for passwords 93
 - WSHSendKeys
 - clipboard handling 153
 - terminate an application 147
 - WSHSendKeys method 143
 - sample 150
 - syntax 143
 - WSHSetForegroundWindow method 173
 - WSHShell method 134
 - implementation 135
 - WSHShowWindow method 170
 - WSHWait method 123, 127
 - implementation 126